



## PROVIDER POLICIES & PROCEDURES

### BOTULINUM TOXIN FOR THE TREATMENT OF CHRONIC MIGRAINE

The purpose of this document is to assist providers enrolled in the Connecticut Medical Assistance Program (CMAP) with the information needed to support a medical necessity determination for use of botulinum toxin in the treatment of chronic migraine. By clarifying the information needed for prior authorization of services, HUSKY Health hopes to facilitate timely review of requests so that individuals obtain the medically necessary care they need as quickly as possible.

Botulinum is a family of toxins produced by the anaerobic organism *Clostridia botulinum*. When administered intramuscularly, all botulinum toxins reduce muscle tone by interfering with the release of acetylcholine from nerve endings.

#### CLINICAL GUIDELINE

Coverage guidelines for botulinum toxin are made in accordance with the Department of Social Services (DSS) definition of Medical Necessity. The following criteria are guidelines *only*. Coverage determinations are based on an assessment of the individual and his or her clinical needs. If the guidelines conflict with the definition of Medical Necessity, the definition of Medical Necessity shall prevail. The guidelines are as follows:

An initial six (6) month trial of botulinum toxin for prevention of chronic migraine headaches is generally considered medically necessary when the following criteria are met:

1. Adult individual diagnosed with chronic migraine headache; **AND**
2. Fifteen (15) or more headache-days per month with headache lasting four (4) hours or longer; **AND**
3. First episode at least six (6) months ago; **AND**
4. Symptoms persist despite trials of at least one (1) agent in any two (2) of the following classes of medications used to prevent migraines or reduce migraine frequency:
  - a. Antidepressants
  - b. Antihypertensives
  - c. Antiepileptics.

Continuing treatment with botulinum toxin injection for ongoing prevention of chronic migraine headaches is considered medically necessary for individuals who have previously met the criteria above and completed an initial six (6) month trial when:

1. Migraine headache frequency was reduced by at least seven (7) days per month (when compared to pre-treatment average) by the end of the initial trial; **OR**
2. Migraine headache duration was reduced by at least one-hundred (100) total hours per month (when compared to the pre-treatment average) by the end of the initial trial.

#### Investigational and Not Medically Necessary

- The use of botulinum toxin is typically considered investigational and NOT medically necessary for the treatment of headache other than chronic migraine meeting the criteria above, including but not

V1

1

Please note that authorization is based on medical necessity at the time the authorization is issued and is not a guarantee of payment. Payment is based on the individual having active coverage, benefits and policies in effect at the time of service.

To determine if a service or procedure requires prior authorization, CMAP Providers may refer to the *Benefit and Authorization Grids* summaries on [www.ct.gov/husky](http://www.ct.gov/husky) by clicking on "For Providers" followed by "Benefit Grids". For a definitive list of benefits and service limitations, CMAP Providers may access the CMAP provider fee schedules and regulations at [www.ctdssmap.com](http://www.ctdssmap.com).

limited to tension, episodic migraine (fourteen migraine days per month or less), or chronic daily headaches; however, may be considered medically necessary based on an assessment of the individual and their unique clinical needs.

- The use of botulinum toxin, whether the same or a different product, following failure of an initial trial for the treatment of chronic migraine is typically considered investigational and not medically necessary; however may be considered medically necessary based on an assessment of the individual and their unique clinical needs.

**Exception:** when the initial product was stopped due to a product specific intolerance or allergic reaction (rather than clinical failure), this investigational and not medically necessary statement does not apply.

#### NOTE: EPSDT Special Provision

Early and Periodic Screening, Diagnosis, and Treatment (EPSDT) is a federal Medicaid requirement that requires the Connecticut Medical Assistance Program (CMAP) to cover services, products, or procedures for Medicaid enrollees under 21 years of age where the service or good is medically necessary health care to correct or ameliorate a defect, physical or mental illness, or a condition identified through a screening examination. The applicable definition of medical necessity is set forth in Conn. Gen. Stat. Section 17b-259b (2011) [ref. CMAP Provider Bulletin PB 2011-36].

#### PROCEDURE

Prior authorization of treatment with botulinum toxin is required. Coverage determinations will be based upon a review of requested and/or submitted case-specific information.

#### The following information is needed to review requests for botulinum toxin:

1. Fully completed Outpatient Prior Authorization Request Form or fully completed authorization request via on-line web portal;
2. Clinical information supporting the medical necessity of the treatment; and
3. Other information as requested.

#### EFFECTIVE DATE

This Policy is effective for prior authorization requests for botulinum toxin as treatment for chronic migraine for individuals covered under the HUSKY Health Program beginning January 1, 2017.

#### LIMITATIONS

N/A

#### CODE:

Code	Description
64615	Chemodenervation of muscle(s); muscle(s) innervated by facial, trigeminal, cervical spinal and accessory nerves, bilateral (e.g., for chronic migraine)

V1

2

Please note that authorization is based on medical necessity at the time the authorization is issued and is not a guarantee of payment. Payment is based on the individual having active coverage, benefits and policies in effect at the time of service.

To determine if a service or procedure requires prior authorization, CMAP Providers may refer to the *Benefit and Authorization Grids* summaries on [www.ct.gov/husky](http://www.ct.gov/husky) by clicking on "For Providers" followed by "Benefit Grids". For a definitive list of benefits and service limitations, CMAP Providers may access the CMAP provider fee schedules and regulations at [www.ctdssmap.com](http://www.ctdssmap.com).

## DEFINITIONS

1. **HUSKY A:** Connecticut children and their parents or a relative caregiver; and pregnant women may qualify for HUSKY A (also known as Medicaid). Income limits apply.
2. **HUSKY B:** Uninsured children under the age of 19 in higher income households may be eligible for HUSKY B (also known as the Children's Health Insurance Program) depending on their family income level. Family cost-sharing may apply.
3. **HUSKY C:** Connecticut residents who are age 65 or older or residents who are ages 18-64 and who are blind, or have another disability, may qualify for Medicaid coverage under HUSKY C (this includes Medicaid for Employees with Disabilities (MED-Connect), if working). Income and asset limits apply.
4. **HUSKY D:** Connecticut residents who are ages 19-64 without dependent children and who: (1) do not qualify for HUSKY A; (2) do not receive Medicare; and (3) are not pregnant, may qualify for HUSKY D (also known as Medicaid for the Lowest-Income populations).
5. **HUSKY Health Program:** The HUSKY A, HUSKY B, HUSKY C, HUSKY D and HUSKY Limited Benefit programs, collectively.
6. **HUSKY Limited Benefit Program or HUSKY, LBP:** Connecticut's implementation of limited health insurance coverage under Medicaid for individuals with tuberculosis or for family planning purposes and such coverage is substantially less than the full Medicaid coverage.
7. **Medically Necessary or Medical Necessity:** (as defined in Connecticut General Statutes § 17b-259b) Those health services required to prevent, identify, diagnose, treat, rehabilitate or ameliorate an individual's medical condition, including mental illness, or its effects, in order to attain or maintain the individual's achievable health and independent functioning provided such services are: (1) Consistent with generally-accepted standards of medical practice that are defined as standards that are based on (A) credible scientific evidence published in peer-reviewed medical literature that is generally recognized by the relevant medical community, (B) recommendations of a physician-specialty society, (C) the views of physicians practicing in relevant clinical areas, and (D) any other relevant factors; (2) clinically appropriate in terms of type, frequency, timing, site, extent and duration and considered effective for the individual's illness, injury or disease; (3) not primarily for the convenience of the individual, the individual's health care provider or other health care providers; (4) not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results as to the diagnosis or treatment of the individual's illness, injury or disease; and (5) based on an assessment of the individual and his or her medical condition.
8. **Prior Authorization:** A process for approving covered services prior to the delivery of the service or initiation of the plan of care based on a determination by CHNCT as to whether the requested service is medically necessary.

## ADDITIONAL RESOURCES AND REFERENCES:

1. Anand KS, Prasad A, Singh MM, et al. Botulinum toxin type A in prophylactic treatment of migraine. *Am J Ther.* 2006; 13(3):183-187.
2. Aurora SK, Dodick DW, Diener HC, et al. OnabotulinumtoxinA for chronic migraine: efficacy, safety, and tolerability in patients who received all five treatment cycles in the PREEMPT clinical program. *Acta Neurol Scand.* 2014; 129(1):61-70.
3. Aurora SK, Dodick DW, Turkel CC, et al.; PREEMPT 1 Chronic Migraine Study Group. Onabotulinumtoxin A for treatment of chronic migraine: Results from the double-blind, randomized, placebo-controlled phase of the PREEMPT 1 trial. *Cephalgia* 2010; 30(7):793-803.

4. Aurora SK, Gawel M, Brandes JL, et al. Botulinum toxin type a prophylactic treatment of episodic migraine: a randomized, double-blind, placebo-controlled exploratory study. *Headache*. 2007; 47(4):486-499.
5. Blumenfeld AM, Schim JD, Chippendale TJ. Botulinum toxin type A and divalproex sodium for prophylactic treatment of episodic or chronic migraine. *Headache*. 2008; 48(2):210-220.
6. Cady R, Schreiber C. Botulinum toxin type A as migraine preventive treatment in patients previously failing oral prophylactic treatment due to compliance issues. *Headache*. 2008; 48(6):900-913.
7. Diener HC, Dodick DW, Aurora SK, et al. OnabotulinumtoxinA for treatment of chronic migraine: results from the double-blind, randomized, placebo-controlled phase of the PREEMPT 2 trial. *Cephalgia*. 2010; 30(7):804-814.
8. Dodick DW, Mauskop A, Elkind AH, et al.; BOTOX CDH Study Group. Botulinum toxin type A for the prophylaxis of chronic daily headache: subgroup analysis of patients not receiving other prophylactic medications: a randomized double-blind, placebo-controlled study. *Headache*. 2005; 45(4):315-324.
9. Dodick DW, Turkel CC, Degryse RE, et al. OnabotulinumtoxinA for treatment of chronic migraine: pooled results from the double-blind, randomized, placebo-controlled phases of the PREEMPT clinical program. *Headache*. 2010; 50(6):921-936.
10. Evers S. Investigating prophylactic botulinum toxin type A for chronic headache disorders. *Expert Opin Investig Drugs*. 2006; 15(10):1161-1166.
11. Evers S, Vollmer-Haase J, Schwaag S, et al. Botulinum toxin A in the prophylactic treatment of migraine – a randomized, double-blind, placebo-controlled study. *Cephalgia*. 2004; 24(10):838-843.
12. Freitag FG, Diamond S, Diamond M, Urban G. Botulinum Toxin Type A in the treatment of chronic migraine without medication overuse. *Headache*. 2008; 48(2):201-209.
13. Guyuron B, Reed D, Kriegler JS, et al. A placebo-controlled surgical trial of the treatment of migraine headaches. *Plast Reconstr Surg*. 2009; 124(2):461-648.
14. Khalil M, Zafar HW, Quarshie V, Ahmed F. Prospective analysis of the use of OnabotulinumtoxinA (BOTOX) in the treatment of chronic migraine; real-life data in 254 patients from Hull, U.K. *J Headache Pain*. 2014; 15:54.
15. Lipton RB, Varon SF, Grosberg B, et al. OnabotulinumtoxinA improves quality of life and reduces impact of chronic migraine. *Neurology*. 2011; 77(15):1465-1472.
16. Mathew NT, Frishberg BM, Gawel M, et al. Botulinum toxin type A (BOTOX) for the prophylactic treatment of chronic daily headache: a randomized double-blind, placebo-controlled trial. *Headache*. 2005; 45(4):293-307.
17. Ondo WG, Vuong KD, Derman HS. Botulinum toxin A for chronic daily headache: a randomized, placebo-controlled, parallel design study. *Cephalgia*. 2004; 24(1):60-65.
18. Padberg M, de Bruijn, de Haan RJ, Tavy DL. Treatment of chronic tension-type headache with botulinum toxin: a double-blind, placebo-controlled clinical trial. *Cephalgia*. 2004; 24(8):675-680.
19. Relja M, Poole AC, Schoenen J, et al.; European BoNTA Headache Study Group. A multicentre, double-blind, randomized, placebo-controlled, parallel group study of multiple treatments of botulinum toxin type A (BoNTA) for the prophylaxis of episodic migraine headaches. *Cephalgia*. 2007; 27(6):492-503.
20. Relja M, Telarovic S. Botulinum toxin in tension-type headache. *J Neurol*. 2004; 251 Suppl 1:112-114.
21. Rollnik JD, Karst M, Fink M, Dengler R. Botulinum toxin type A and EMG: a key to the understanding of chronic tension-type headaches? *Headache*. 2001; 41(10):985-989.

22. Rollnik JD, Tanneberger O, Schubert M, et al. Treatment of tension-type headache with botulinum toxin type A: a double-blind placebo-controlled study. *Headache*. 2000; 40(4):300-305.
23. Saper JR, Mathew NT, Loder EW, et al.; BoNTA-009 Study Group. A double-blind, randomized, placebo-controlled comparison of botulinum toxin type A injection sites and doses in the prevention of episodic migraine. *Pain Med*. 2007; 8(6):478-485.
24. Schmitt WJ, Slowey E, Fravi N, et al. Effect of botulinum toxin A injections in the treatment of chronic tension-type headache: a double-blind, placebo-controlled trial. *Headache*. 2001; 41(7):658-664.
25. Schulte-Mattler WJ, Krack P.; BoNTTH Study Group. Treatment of chronic tension-type headache with botulinum toxin A: a randomized, double-blind, placebo-controlled multicenter study. *Pain*. 2004; 109(1-2):110-114.
26. Schulte-Mattler WJ, Martinez-Castrillo JC. Botulinum toxin therapy of migraine and tension-type headache: comparing different botulinum toxin preparations. *Eur J Neurol*. 2006; 13 Suppl 1:51-54.
27. Shulendler AJ, Lee S, Siu M. et al. Efficacy of botulinum toxin type A for the prophylaxis of episodic migraine headaches: a meta-analysis of randomized, double-blind, placebo-controlled trials. *Pharmacotherapy*. 2009; 29(7):784-791.
28. Silberstein SD, Göbel H, Jensen R, et al. Botulinum toxin type A in the prophylactic treatment of chronic tension-type headache: a multicentre, double-blind, randomized, placebo-controlled, parallel-group study. *Cephalalgia*. 2006; 26(7):790-800.
29. Silberstein S, Mathew N, Saper J, Jenkins S. Botulinum toxin type A as a migraine preventive treatment. *Headache*. 2000; 40(6):445-450.
30. Silberstein SD, Stark SR, Lucas SM, et al.; BoNTA-039 Study Group. Botulinum toxin type A for the prophylactic treatment of chronic daily headache: a randomized double-blind, placebo-controlled trial. *Mayo Clin Proc*. 2005; 80(9):1126-1137.
31. Smuts JA, Baker MK, Smuts HM, et al. Prophylactic treatment of chronic tension-type headache using botulinum toxin type A. *Eur J Neurol*. 1999; 6(Suppl 4):S99-S102.
32. Straube A, Empl M, Ceballos-Baumann A, et al.; Dysport Tension-Type Headache Study Group. Pericranial injection of botulinum toxin type A (Dysport) for tension-type headache - a multicentre, double-blind, randomized, placebo-controlled study. *Eur J Neurol*. 2008; 15(3):205-213.

## PUBLICATION HISTORY

Status	Date	Action Taken
Original Publication	January 2017	Approved by CHNCT Medical Policy Review Committee on December 14, 2016. Approved by CHNCT Clinical Quality Subcommittee on December 20, 2016. Approved by DSS on January 3, 2017.
Update	April 2018	Reviewed and approved without changes by the CHNCT Medical Policy Review Committee on January 24, 2018. Approved By CHNCT Clinical Quality Subcommittee on March 19, 2018. Approved by DSS on April 5, 2018.